IN THE CLAIMS

- 1. (Currently Amended) A substrate verification system for converter substrates comprising: a wrap mechanism with a wrap surface;
 - a mat wrap on said wrap surface of said wrap mechanism;
 - at least one substrate on said wrap mechanism on top of said mat wrap;
 - a reader mounted adjacent said wrap surface for reading an identifier on said substrate; and
 - a controller for comparing the identifier on said substrate to stored data <u>prior to activation</u> of said wrap mechanism.
- 2. (Currently Amended) The verification system in claim 1 wherein the reader is one of a plurality of readers there is a reader for each substrate.
- 3. (Original) The verification system in claim 1 wherein said identifier is a barcode and said reader is a barcode scanner.
- 4. (Original) The verification system in claim 1 wherein the wrap mechanism includes a wrap roller to apply said mat wrap to said at least one substrate.
- 5. (Original) The verification system as recited in claim 1, wherein a computer is connected to said controller, said computer for input and storage of said stored data.
- 6. (Original) The system as recited in claim 5, wherein a printer is attached to said verification system to create a converter label using information from said computer.
- 7. (Original) The system as recited in claim 6, wherein said information includes data from said identifier, data stored on said computer, and data generated by said computer.

- 8. (Currently Amended) A method of verifying a substrate comprising the steps of:
 - a) placing a mat wrap on a wrap mechanism;
 - b) placing a substrate with an identifier on the mat wrap;
- c) reading data associated with the identifier on the substrate with a computer verification system; and
- d) comparing the data from associated with the identifier with stored data prior to activation of the wrap mechanism.
- 9. (Original) The method as recited in claim 8, wherein said step d) further includes comparing an orientation of said substrate against said stored data.
- 10. (Original) The method as recited in claim 8, wherein said step d) further includes comparing a substrate part number against said stored data.
- 11. (Original) The method as recited in claim 8, further including the step of:
 - e) activating a system alert when the identifier data does not match the stored data.
- 12. (Currently Amended) The method as recited in claim 11, further including the step of:
- f) stopping the wrap mechanism and waiting for an operator to check the alert <u>based</u> upon said step e).
- 13. (Currently Amended) The method as recited in claim 12, further including the step of:
- g) the operator restarting the verification system <u>wrap mechanism</u> after checking the alert.
- 14. (Currently Amended) The method as recited in claim 8, further including the step of:
- h) applying the mat wrap to the substrate if the <u>computer</u> verification system confirms the substrate is correct.

- 15. (Currently Amended) The method as recited in claim 14, further including the steps of [[:]]:
 - i) placing the substrate in a converter housing:
 - j) printing a converter label: and
 - k) applying the converter label to the converter housing.
- 16. (Currently Amended) A method of verifying a substrate comprising the steps of:
 - a) placing a mat wrap on a wrap mechanism;
 - b) placing a substrate on the mat wrap; and
- c) reading the substrate <u>with a computer verification system</u> to verify orientation or position of the substrate <u>prior to activation of the wrap mechanism</u>.
- 17. (Currently Amended) The method as recited in claim 16, further including the step of:
- d) activating a system alert when based upon a determination that the substrate is in the incorrect orientation or position.
- 18. (Currently Amended) The method as recited in claim 17, further including the step of:
- c) stopping inhibiting operation of the wrap mechanism and waiting for an operator to check the alert based upon a determination that the substrate is in the incorrect orientation or position.
- 19. (Currently Amended) The method as recited in claim 18, further including the step of:
- g) the operator restarting activating the verification system wrap mechanism after checking the alert after said step e).
- 20. (Currently Amended) The method as recited in claim 16, further including the step of:

- h) applying the mat wrap to the substrate if based upon a confirmation by the computer verification system confirms that the substrate is in the correct position and orientation.
- 21. (Currently Amended) The method as recited in claim 20, further including the steps of 5:
 - i) placing the substrate in a converter housing;
 - j) printing a converter label; and
 - k) applying the converter label to the converter housing.